

# MSDS *Material Safety Data Sheet*

Alpha Associates, Inc.



Alpha Style 65P40-BN

MSDS Number: 0358

Revision Date: 5/22/06

Page 1 of 3

## 1 PRODUCT AND COMPANY IDENTIFICATION

### Manufacturer

Alpha Associates, Inc.  
2 Amboy Avenue

Woodbridge, NJ 07095

**Contact:** James Palmer  
**Telephone Number:** 732-634-5700  
**FAX Number:** 732-634-1430  
**E-Mail:** jpalmer@alphainc.com  
**Web:** www.alphainc.com

**Product Name:** Alpha Style 65P40-BN  
**Revision Date:** 5/22/06  
**MSDS Number:** 0358  
**Common Name:** Coated Polyester Fabric

## 2 COMPOSITION/INFORMATION ON INGREDIENTS

Antimony oxide (Sb2O3) (CAS 1309-64-4)

Polyester Fabric

Compounded Neoprene Coating

## 3 HAZARDS IDENTIFICATION

**Route of Entry:** This material may enter the body through inhalation of nuisance dust.  
**Target Organs:** Respiratory System  
**Inhalation:** Sore, raspy throat  
**Skin Contact:** Redness and possible rash; itching  
**Eye Contact:** Itching and redness  
**Ingestion:** N/A

## 4 FIRST AID MEASURES

**Inhalation:** Remove person to fresh air. If condition persists, seek medical attention.  
**Skin Contact:** Rinse with copious quantities of cool water. If rash or itching persists, seek medical attention.  
**Eye Contact:** Rinse with water. Do not rub eyes. Seek medical attention.  
**Ingestion:** Not applicable.

# MSDS *Material Safety Data Sheet*

Alpha Associates, Inc.



Alpha Style 65P40-BN

MSDS Number: 0358

Revision Date: 5/22/06

Page 2 of 3

## 5 FIRE FIGHTING MEASURES

Flash Point (Method Used): >250 C by TOC      Flammable Limits

LEL: N/A      UEL: N/A

Extinguishing Media: Water, carbon dioxide, or dry chemical

Special Fire Fighting Procedures: Thermal decomposition of fiber coating may produce an irritating mixture of smoke and fumes.

Unusual Fire and Explosion Hazards: None

## 6 ACCIDENTAL RELEASE MEASURES

Material is a solid in roll form. If accidentally released, rewind material back onto roll.

## 7 HANDLING AND STORAGE

**Handling Precautions:** Use adequate material handling equipment.

**Storage Requirements:** Store in dry place. Use may be at temperature extremes based on product data, but storage should be at ambient temperature.

## 8 EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Local exhaust; dust collection

**Protective Equipment:** Safety glasses; cotton gloves; long sleeve clothing

**Exposure Guidelines/Other:** Wash thoroughly with soap and water after handling

## 9 PHYSICAL AND CHEMICAL PROPERTIES

**Appearance:** Black Rubber Coated Fabric

**Physical State:** Solid

**Odor:** No Odor

**pH:** N/A

**Vapor Pressure:** N/A

**Vapor Density:** N/A

**Boiling Point:** N/A

**Freezing/Melting Pt.:** N/A

**Solubility:** Negligible

**Spec Grav./Density:** 1.5

# MSDS Material Safety Data Sheet

Alpha Associates, Inc.



Alpha Style 65P40-BN

MSDS Number: 0358

Revision Date: 5/22/06

Page 3 of 3

## 10 STABILITY AND REACTIVITY

**Stability:** Material is stable.  
**Conditions to avoid:** None known  
**Materials to avoid (incompatibility):** Strong oxidizing agents.  
**Hazardous Decomposition products:** Carbon monoxide; carbon dioxide; hydrogen chloride  
**Hazardous Polymerization:** Will Not Occur.

## 11 TOXICOLOGICAL INFORMATION

None Known.

## 12 ECOLOGICAL INFORMATION

None Known.

## 13 DISPOSAL CONSIDERATIONS

Burial in a federal, state, or local approved landfill.

## 14 TRANSPORT INFORMATION

None special required.

## 15 REGULATORY INFORMATION

COMPONENT / (CAS/PERC) / CODES

\*Antimony oxide (Sb2O3) (1309644 n/a%) CERCLA, CSWHS, EPCRAWPC, MASS, PA, PROP65, TXAIR

REGULATORY KEY DESCRIPTIONS

CERCLA = Superfund clean up substance  
CSWHS = Clean Water Act Hazardous substances  
EPCRAWPC = EPCRA Water Priority Chemicals  
MASS = MA Massachusetts Hazardous Substances List  
PA = PA Right-To-Know List of Hazardous Substances  
PROP65 = CA Prop 65  
TXAIR = TX Air Contaminants with Health Effects Screening Level

## 16 OTHER INFORMATION

END OF MSDS DOCUMENT